

# CEREALMAX PLUS MICRO

<b>Issue Date</b>	14/01/2013
<b>Revision Date</b>	-
<b>Rev. N°</b>	0

## PRODUCT ANALYSIS

<b>ANALYZED PARAMETER</b>	<b>UNIT</b>	<b>VALUE</b>	<b>TOLERANCE</b>
TOTAL NITROGEN (N)	%	<b>15,0</b>	<b>± 1,1</b>
ORGANIC NITROGEN (N)	%	<b>2,0</b>	<b>± 1,5</b>
UREIC NITROGEN (N)	%	<b>13,0</b>	<b>± 1,5</b>
WATER SOLUBLE IRON (Fe)	%	<b>0,60</b>	<b>± 0,12</b>
DTPA CHELATED IRON (Fe)	%	<b>0,60</b>	<b>± 0,12</b>
WATER SOLUBLE MANGANESE (Mn)	%	<b>0,30</b>	<b>± 0,06</b>
EDTA CHELATED MANGANESE (Mn)	%	<b>0,30</b>	<b>± 0,06</b>
WATER SOLUBLE ZINC (Zn)	%	<b>0,50</b>	<b>± 0,05</b>
EDTA CHELATED ZINC (Zn)	%	<b>0,50</b>	<b>± 0,05</b>
ORGANIC CARBON (C)	%	<b>5,0</b>	<b>± 0,5</b>